

L Number	Hits	Search Text	DB	Time stamp
1	25	deterministic adj finite adj state adj machine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/03/30 13:12
2	0	6505157.URPN.		
3	168	717/104.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/03/30 13:30
4	82	717/105.ccls.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/03/30 13:34
5	999	703/2.ccls.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/03/30 13:34
6	417	703/22.ccls.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:34

Try the *new* Portal design

Give us your opinion after using it.

## Search Results

Search Results for: [deterministic finite state machine<AND>(((parallel AND states AND simultaneously AND active)) )]

Found **13** of **129,310** searched.

## Search within Results



&gt; Advanced Search

> Search Help/Tips

**Sort by:** Title Publication Publication Date Score Binder

**Results 1 - 13 of 13** short listing

- |  |     |
|--|-----|
| <b>1</b> <a href="#">A distributed alternative to finite-state-machine specifications</a><br>Pamela Zave<br><b>ACM Transactions on Programming Languages and Systems (TOPLAS)</b> January 1985<br>Volume 7 Issue 1<br>A specification technique, formally equivalent to finite-state machines, is offered as an alternative because it is inherently distributed and more comprehensible. When applied to modules whose complexity is dominated by control, the technique guides the analyst to an effective decomposition of complexity, encourages well-structured error handling, and offers an opportunity for parallel computation. When applied to distributed protocols, the technique provides a unique perspective and facil ...  | 83% |
| <b>2</b> <a href="#">Dynamic hot data stream prefetching for general-purpose programs</a><br>Trishul M. Chilimbi , Martin Hirzel<br><b>ACM SIGPLAN Notices , Proceedings of the ACM SIGPLAN 2002 Conference on Programming language design and implementation</b> May 2002<br>Volume 37 Issue 5<br>Prefetching data ahead of use has the potential to tolerate the growing processor-memory performance gap by overlapping long latency memory accesses with useful computation. While sophisticated prefetching techniques have been automated for limited domains, such as scientific codes that access dense arrays in loop nests, a similar level of success has eluded general-purpose programs, especially pointer-chasing codes written in languages such as C and C++. We address this problem by describing ... | 80% |
| <b>3</b> <a href="#">Checking subsystem safety properties in compositional reachability analysis</a><br>Shing C. Cheung , Jeff Kramer<br><b>Proceedings of the 18th international conference on Software engineering</b> May 1996<br>The software architecture of a distributed program can be represented by an hierarchical composition of subsystems, with interacting processes at the leaves of the hierarchy. Compositional reachability analysis has been proposed as a promising automated method to derive the overall behavior of a distributed program in stages,   | 80% |

Try the *new* Portal design

Give us your opinion after using it.

## Search Results

## Nothing Found

Your search for **[deterministic statechart<AND>(((parallel AND states AND simultaneously AND active)) )]** did not return any results.

You may revise it and try your search again below or click advanced search for more options.

deterministic statechart<AND>  
(((parallel AND states AND  
simultaneously AND active)) )

[ Advanced Search ] [ Search Help/Tips ]



Complete Search Help and Tips

**The following characters have specialized meaning:**

Special Characters	Description
, () [	These characters end a text token.
= > < !	These characters end a text token because they signify the start of a field operator. (! is special: != ends a token.)
' @ \Q < { [ !	These characters signify the start of a delimited token. These are terminated by the end character associated with the start character.

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) [Publications/Services](#) [Standards](#) [Conferences](#) [Careers/Jobs](#)Welcome  
United States Patent and Trademark Office

» At

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)**Quick Links****Welcome to IEEE Xplore**

- Home
- What Can I Access?
- Log-out

**Tables of Contents**

- Journals & Magazines
- Conference Proceedings
- Standards

**Search**

- By Author
- Basic
- Advanced

**Member Services**

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

**To Locate an Author:**

1. Enter a last name or select a letter in the alphabet.
2. Once you identify the name, select it to search the database for relevant articles.

**1. Options:**

» Enter a name to find an author:

 

Example: Enter Lockett S to obtain a list of authors with the last name Lockett and first name initial S.  
OR» Select a letter to browse the author list:

**A B C D E F G H I J K L M N O P Q R S T U V W X Y Z | ALL****2. Select an author name to search the database for relevant articles:**

<a href="#">Pauly A.</a>	<a href="#">Pauly F.</a>	<a href="#">Pauly J.</a>	<a href="#">Pauly J. M.</a>
<a href="#">Pauly S. W.</a>	<a href="#">Pauly T.</a>	<a href="#">Paulynn Ong Yi Jie</a>	

**A B C D E F G H I J K L M N O P Q R S T U V W X Y Z | ALL**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved